

BEST AVAILABLE COPY

Oct. 25. 2006 3:16PM Owens Corning

No. 6566 P. 1

OWENS CORNING SCIENCE & TECHNOLOGY CENTER
PATENT DEPT., BLDG. 11
2790 COLUMBUS ROAD, ROUTE 16
GRANVILLE, OHIO 43023-1200

**FAX TRANSMITTAL**

RECEIVED
CENTRAL FAX CENTER
OCT 25 2006

Date: October 25, 2006No. of Pages: 20 (Including this page)

To: Central Facsimile Number From: Jan Hostasa
Of: USPTO Fax: (740) 321-8024
Fax: (571) 273-8300 Phone: (740) 321-7168
SUBJECT: Response

Serial No.: U.S. Patent Application 09/966,309, filed September 28, 2001

I hereby certify that a Response is being transmitted to the Central Facsimile Number, at the U.S. Patent and Trademark Office (Fax No. (571) 273-8300) on October 25, 2006.

October 25, 2006

(Date of Deposit)

Jan Hostasa

(Name of Depositor)

A handwritten signature of Jan Hostasa.

(Signature)

This message is intended only for the use of the individual or entity to which it is addressed and may contain information that is privileged, confidential, and exempt from disclosure. If the reader of this message is not the intended recipient or an employee or agent responsible for delivering the message to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this message in error, please notify us immediately and return the original message to us by mail. Thank you.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of:

Dirk Kranendonk

Serial No.: 09/966,309

Group Art Unit: 1771

Filed: September 28, 2001

Examiner: Norca Liz Torres-Velazquez

For: POLYMER COATED WALL COVERING MATERIAL

Attorney Docket No.: 25098A

RECEIVED
CENTRAL FAX CENTER
OCT 25 2006

REQUEST FOR RECONSIDERATION AFTER FINAL

Mail Stop AF
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Madam Examiner:

This Request for Reconsideration document is presented in response to the final Office Action dated August 30, 2006. Although no amendments are proposed, a listing of the claims is provided beginning on page 2. Remarks follow the claims.